

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/5

Q-TB2217L

Revision 0 Revision date 2018-08-07

1	SECTION 1:	Identification	of the substance/	mixture and of	f the company	/undertaking

1.1. Product identifier

Product name Q-TB2217L

1.3. Details of the supplier of the safety data sheet

CompanyQualitek Europe LtdAddressUnit 9 Apex CourtBassendale Road

Bromborough Wirral CH62 3RE

 Web
 www.qualitek.com

 Telephone
 + 44(0)151 334 0888

 Fax
 + 44(0)151 334 1408

Email address of the competent person

sales@qualitek-europe.com

1.4. Emergency telephone number

Emergency telephone number + 44(0)151 334 0888

9.00 am - 5.00 pm Mon -Fri

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; STOT SE 3: H335; Aquatic Chronic 2: H411:

2.2. Label elements

Hazard pictograms





Signal Word

Hazard Statement

Warning

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Precautionary Statement:

Prevention

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

Response

P302+P352 - IF ON SKIN: Wash with plenty of water/.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Revision 0 Revision date 2018-08-07

2.2. Label elements

P312 - Call a POISON CENTER/doctor/ /if you feel unwell.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P391 - Collect spillage.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Bisphenol A-(epichlorhydrin) (reaction product)	603-074-00-8	25068-38-6	500-033-5		10 - 25%	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411;
bisphenal F-(epichlorhydrin) Epoxy resin		9003-36-5	500-006-8		10 - 25%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;
Amine Cyclo-aliphatique		152618-37-6			10 - 25%	Eye Irrit. 2: H319; STOT SE 3: H335;
Butyl Acrylate-methyl methacrylate-Methacrylic Acid Polymer		25035-69-2			10 - 25%	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Carbon oxides.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Revision 0 Revision date 2018-08-07

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

SECTION 8: Exposure controls/personal protection

8.2. Exposure controls

8.2.1. Approp	oriate engineering	Ensure adequate ventilation of the working area.
controls		
8.2.2. Individ	ual protection	Wear chemical protective clothing.
measures		
Eye / face pro	otection	Approved safety goggles.
Skin protection	on -	Chemical resistant gloves (PVC).
Handprotecti	on	
Respiratory p	protection	Wear:. Suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance
Colour
Odour
Initial boiling point
Relative density
Solubility

Gel
Red
Characteristic
> 200 °C
1.2 H20 @25°C
Immiscible in water

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

SECTION 11: Toxicological information

11.1.4. Toxicological Information

Q-TB2217L	Dermal Rat LD50: >2000mg/kg	Oral Rat LD50: >5000mg/kg

SECTION 12: Ecological information

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

Hazard pictograms



Revision 0

	Revision date 2018-08-0
14.1. UN number	
	UN3082
14.2. UN proper shipping name	
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es	5)
ADR/RID	9
Subsidiary risk	T -
IMDG	9
Subsidiary risk	-
IATA	9
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	Yes
Marine pollutant	Yes
ADR/RID	
Hazard ID	90
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-F
IATA	
Packing Instruction (Cargo)	964
Maximum quantity	450 L
Packing Instruction (Passenger)	964
Maximum quantity	450 L
Further information	•
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory in	formation
	nmental regulations/legislation specific for the substance or mixture

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

SECTION 16: Other information

Other information

Text of Hazard	Statements	in
Section 3		

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

STOT SE 3: H335 - May cause respiratory irritation.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,

Revision 0 Revision date 2018-08-07

Further information				
	storage and handling of the product. This information is correct to the best of our knowledge and			
	belief at the date of publication however no guarantee is made to its accuracy. This information			
	relates only to the specific material designated and may not be valid for such material used in			
	combination with any other materials or in any other process.			