

SAFETY DATA SHEET according to Regulation (EU) 2020/878

Q-Tiptinner-Leadfree

Page 1/4

 Revision
 2

 Revision date
 2023-01-17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product name	Q-Tiptinner-Leadfree	
Other means of identification /	UFI No. PQ2S-NX4S-5004-RSW9.	
UFI		
1.2. Relevant identified uses of t	the substance or mixture and uses advised against	
Description	Soldering.	
1.3. Details of the supplier of the	e safety data sheet	
Company	Qualitek Europe Ltd	
Address	Unit 9 Apex Court	
	Bassendale Road	
	Bromborough	
	Wirral	
	CH62 3RE	
Web	www.qualitek.com	
Telephone	+ 44(0)151 334 0888	
Fax	+ 44(0)151 334 1408	
Email address of the	sales@qualitek-europe.com	
competent person		
1.4. Emergency telephone numb	Der	
Emergency telephone number	+ 44(0)151 334 0888	
	9.00 am - 5.00 pm Mon -Fri	
SECTION 2: Hazards identification		
2.2. Label elements		
Hazard Statement	No Significant Hazard	
SECTION 3: Composition/information on ingredients		
2.2 Mixturoo		

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Tin		7440-31-5	231-141-8	01-2119486474-28	70-75%	
Monoammonium Phosphate		7722-76-1	231-764-5	01-2119488166-29	15-25%	
Silver			231-131-3	01-2119555669-21	2-4%	
Copper (Copper dusts and mists (as Cu))					0.5 - 1%	Acute Tox. 4: H302; Skin Irrit. 2: H315; STOT SE 3: H335;
SECTION 4: First aid me	asures					



Q-Tiptinner-Leadfree

Revision date 2023-01-17

4.1. Description of first aid measures

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Copper (Copper dusts and mists	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 1
(as Cu))		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls

8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.
controls	



Q-Tiptinner-Leadfree

8.2. Exposure controls	
8.2.2. Individual protection	Wear protective clothing.
measures	
Eye / face protection	In case of splashing, wear:. Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Solid
Colour	Light grey
Odour	Characteristic
Initial boiling point	730 °C
Autoignition temperature	Not determined
Solubility	Slightly soluble in water

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes

No data available.

SECTION 12: Ecological information

12.2. Persistence and degradability

No data is available on this product.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

Further information

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC
and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94
as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,
93/105/EC and 2000/21/EC.

SECTION 16: Other information



Q-Tiptinner-Leadfree

Revision 2 Revision date 2023-01-17

Other information			
Revision	This document differs from the previous version in the following areas:. 1 - Other means of identification / UFI. 9 - 9.2.2. Other safety characteristics. 9 - 9.2.1. Information with regard to physical hazard classes.		
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation.		
Further information			
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.		

