

# SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/4

## QSP-798LF-SAC305

Revision 3  
Revision date 2023-01-19

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	QSP-798LF-SAC305
Other means of identification / UFI	UFI No.DQM9-RVG7-300W-C1RA.

#### 1.3. Details of the supplier of the safety data sheet

Company	Qualitek Europe Ltd
Address	Unit 9 Apex Court Bassendale Road Bromborough Wirral CH62 3RE
Web	www.qualitek.com
Telephone	+ 44(0)151 334 0888
Fax	+ 44(0)151 334 1408
Email address of the competent person	sales@qualitek-europe.com

#### 1.4. Emergency telephone number

Emergency telephone number	+ 44(0)151 334 0888 9.00 am - 5.00 pm Mon -Fri
----------------------------	---

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Acute Tox. 4: H302;
--------------------------------------	---------------------

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed.
Precautionary Statement: Prevention	P264 - Wash thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.
Precautionary Statement: Response	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell. P330 - Rinse mouth.
Precautionary Statement: Disposal	Dispose of in compliance with all Local and national regulations P501 - Dispose of contents/container to

## QSP-798LF-SAC305

Revision 3

Revision date 2023-01-19

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****EC 1272/2008**

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Diethylene glycol (2,2'-Oxydiethanol)	603-140-00-6	111-46-6	203-872-2	01-2119457857-21	<1%	Acute Tox. 4: H302;
Tin		7440-31-5	231-141-8	01-2119486474-28	95-97%	
Amines,tallow alkyl,ethoxylated		61791-26-2				<3% Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Acute 1: H400;
Terpene Alcohol		98-55-5				<2% Eye Irrit. 2: H319;
Silver			231-131-3	01-2119555669-21	2-5%	
Copper (Copper dusts and mists (as Cu))						<1% Acute Tox. 4: H302; Skin Irrit. 2: H315; STOT SE 3: H335;

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>Inhalation</b>	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
<b>Eye contact</b>	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

	Carbon oxides.
--	----------------

**5.2. Special hazards arising from the substance or mixture**

	Burning produces irritating, toxic and obnoxious fumes.
--	---

**5.3. Advice for firefighters**

	Wear suitable respiratory equipment when necessary.
--	---

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

	Avoid raising dust. Ensure adequate ventilation of the working area. Wear suitable protective equipment.
--	--

**6.2. Environmental precautions**

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

**6.3. Methods and material for containment and cleaning up**

	Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	--

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

**7.2. Conditions for safe storage, including any incompatibilities**

## QSP-798LF-SAC305

Revision 3  
Revision date 2023-01-19

## 7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1. Exposure Limit Values

Copper (Copper dusts and mists (as Cu))	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 1
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Diethylene glycol (2,2'-Oxydiethanol)	WEL 8-hr limit ppm: 23	WEL 8-hr limit mg/m3: 101
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

## 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Wear: Suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Paste
Colour	Dark grey
Odour	Characteristic
Melting point	217 °C
Flash point	> 98 °C
Autoignition temperature	> 226 °C
Solubility	Slightly soluble in water

## 9.2. Other information

Specific gravity	3.5 - 5.5 g/cm <sup>3</sup>
------------------	-----------------------------

## 9.2.1. Information with regard to physical hazard classes

	No data available.
--	--------------------

## 9.2.2. Other safety characteristics

	No data available.
--	--------------------

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

## QSP-798LF-SAC305

Revision 3

Revision date 2023-01-19

## 10.2. Chemical stability

Stable under normal conditions.

## SECTION 11: Toxicological information

## 11.1 Information on hazard classes

Acute toxicity May cause sensitisation by skin contact.

## SECTION 12: Ecological information

## 12.3. Bioaccumulative potential

Does not bioaccumulate.

## SECTION 13: Disposal considerations

## General information

Dispose of in compliance with all local and national regulations.

## SECTION 14: Transport information

## Further information

The product is not classified as dangerous for carriage.

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

## SECTION 16: Other information

## Other information

Revision This document differs from the previous version in the following areas:.  
1 - Other means of identification / UFI.  
12 - 12.1. Toxicity.

Text of Hazard Statements in Section 3 Acute Tox. 4: H302 - Harmful if swallowed.  
Skin Irrit. 2: H315 - Causes skin irritation.  
Eye Irrit. 2: H319 - Causes serious eye irritation.  
Aquatic Acute 1: H400 - Very toxic to aquatic life.  
STOT SE 3: H335 - May cause respiratory irritation.

## Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.