



HAND CLEANING REVOLUTION

Tek-HR-6/12

Stylish - Strong - Safe

Tek-HR-6/12 DEVELOPMENT / ECO-ERGO



Sustainability

ECO

Low waste manufacturing process
Infinitely recyclable parts



User centric

ERGO

Maximum grip comfort
Light weight
Reduces Operator fatigue



WORLD LEADER IN CONTACT CLEANING

www.teknek.com

Tek-HR-6/12 - OVERVIEW



Key benefits:



Durable
Long lasting



Ergonomic



Sustainable



Silicone free
with
Nanoclean roller



Safe
Antimicrobial



Low static
with
NT roller



DURABILITY



Recyclable aluminium

Aluminium handle



STRONG



LONG LASTING



ERGONOMOMIC HANDLE DESIGN



- SCIENCE BEHIND THE DESIGN: **ROBOTIC HAND** RESEARCH APPLIED
- **IMPROVED SAFETY & COMFORT** FOR REPETITIVE PROCESSES



LATTICE STRUCTURE FOR
LIGHT WEIGHT AND
BETTER AIR FLOW



DUAL **ELLIPTICAL** PROFILE

No straight lines all over
GIVES MAXIMUM GRIP COMFORT,
BASED ON GRIP STUDY




Tek-HR-6/12 – ECO APPROACH



Teknek has adopted the OECD sustainable manufacturing framework

THE LOWEST ENVIRONMENTAL IMPACT



*Die casting

QUALITY STANDARD



Tek-HR-6/12



STATIC DISSIPATIVE

Using our NT® & Nanoclean® rollers, Tek-HR complies with ANSI/ESD s20.20



SILICONE FREE

Using our Nanoclean® roller, Tek-HR offers a silicone free option



QUALITY MANUFACTURING

All Teknek elastomer rollers are certified to ISO 6123 Class A.



ANTIMICROBIAL

The new elastomer formulation gives antibacterial properties - ISO 22196 compliance

Tek-HR-6/12 - SUMMARY



Tek-HR – Better value for money

- No need to buy a new set, only a replacement roller
- Tek-HR Replacement roller – easy to replace (manual + video)
- Available as 6” (150mm) and 12” (300mm)
- Lead time: 3 days (over 100 units/order: 2 weeks)

PACKAGING



Packaging contains 30% recycled PET

Tek-HR-6/12 - ROLLER REPLACEMENT



Dedicated replacement rollers are available.

Manual and spanner is included in the replacement roller packaging.


Customer needs to provide a 3 mm Allen key.


Video will be available on our website.




**TEK-HR
ROLLER REPLACEMENT**

REMOVE



1 

2 

REPLACE

3 

REQUIRED
1x Spanner (supplied)
1x 3MM Alan Key (not supplied)

VERSION: 1.0 / 20210708 MADE IN UK An ITW Company

MANUAL



Thank you for your attention!

DIE CASTING

Forcing molten Aluminium under high-pressure into the dies cavity.

Tek-HR die casting tools

